

FORCE⁺

Para portas seccionadas ou basculantes até 16m²
Es Para puertas seccionales o basculantes de hasta 16m²
EN For sectional and tilting doors up to 16m²
FR Pour portes sectionnelles ou basculantes jusqu'à 16m²



	FORCE ⁺ 600	FORCE ⁺ 1000	1000 speed	FORCE ⁺ 1200
	≥ 9m ²	≥ 14m ²	≥ 16m ²	
	90 Kg	140 Kg	160 Kg	
	160 mm/seg	160 mm/seg	200 mm/seg	160 mm/seg

Bateria de lítio
 emergency lithium battery
 opcional/optional

wi-fi usb device
 opcional/optional

KIT

3300mm | 3600mm | 4200mm

base

Para portas seccionadas até 40m²
Es Para puertas seccionales hasta 40m²
EN For sectional doors up to 40m²
FR Pour portes sectionnelles jusqu'à 40m²



	base35	base50	base70	base120
	≤ 18m ²	≤ 24m ²	≤ 28m ²	≤ 40m ²
	≤ 234 Kg	312 Kg	364 Kg	540 Kg
	≤ 14m ²	≤ 20m ²	≤ 24m ²	≤ 36m ²
	182 Kg	260 Kg	312 Kg	468 Kg
	≤ 5 m	≥ 8 m	≥ 10 m	
		25,40		25,40 / 31,750

wi-fi usb device
 opcional/optional

base
 35
 KIT

base50 /
 base70 /
 base120
 KIT

Select⁺



Para portões de batente até 4 metros por folha.
ES Para puertas batiente de hasta 4 metros por hoja.
EN For swing gates up to 4 meters per leaf
FR Pour portails battants jusqu'à 4 mètres par vantail.

	Select ⁺ 300	Select ⁺ 400	Select ⁺ 600
	2 m	3 m	4 m
	350 Kg (230V/110V) / 300 Kg (24V)		
	1,8 cm/seg (230V/110V) / 2 cm/seg (24V)		




bend >



Para portões de batente até 4 metros por folha.
ES Para puertas batiente de hasta 4 metros por hoja.
EN For swing gates up to 4 meters per leaf
FR Pour portails battants jusqu'à 4 mètres par vantail.

	bend >	
	4 m (230V)	2,5 m (24V)
	400 Kg (230V)	500 Kg (24V)





Sub-L



Para portões de batente até 2.5 metros por folha.
ES Para puertas batiente de hasta 2.5 metros por hoja.
EN For swing gates up to 2.5 meters per leaf
FR Pour portails battants jusqu'à 2.5 mètres par vantail.

	Sub-L
	2.5m
	500 Kg
	16 seg. sec.



Slider⁺

Para portões de correr com peso até 800 kg

ES Para puertas correderas hasta 800 kg

EN For sliding gates weighing up to 800 kg


FR Pour portails coulissants jusqu'à 800 kg



Slider⁺ 500 | Slider⁺ 800

	500 Kg	800 Kg
	156 mm/seg	186 mm/seg

KIT



Slider ind.

até 2000 kg

ES hasta 2000 kg

EN up to 2000 kg


FR jusqu'à 2000 kg



Slider ind. 1000 24V | Slider ind. 1500 | Slider ind. 2000

	1000 Kg	1500 Kg	2000 Kg
	12 m/min	12 m/min	12 m/min

KIT



Strong

até 4000 kg

ES hasta 4000 kg

EN up to 4000 kg

FR jusqu'à 4000 kg



Strong 4000

	4000 Kg
	15m/min

KIT



TigerBolt

Para grades de enrolar até 6m e até 360 Kg

ES Para Puertas enrollables hasta 6 metros y hasta 360 Kg

EN For rolling shutters up to 6 meters and up to 360Kg

FR Pour portes enroulables allant jusqu'à 6 mètres et 360 kg



	Bolt 160	Bolt 360	Tiger 420
	160 Kg	360 Kg	350 Kg
	≤ 6 m		
	10 RPM		9,5 RPM
	Ø 60 mm		Ø 76 mm
	Ø 200 mm		Ø 240 mm




EASY

Para portas de correr automáticas em vidro com passagem pedonal até 2,4 metros

ES Para puertas correderas automáticas de vidrio con paso peatonal de hasta 2,4 metros

EN For automatic sliding glass doors with pedestrian passage up to 2.4 meters


FR Pour portes coulissantes automatiques en verre avec passage piéton jusqu'à 2,4 mètres



brushless

	EASY 1	EASY 1-2
	1* ≤ 130 Kg	2* ≤ 120 Kg
	≥ 400 ≤ 2000mm (1*)	≥ 400 ≤ 1200mm (2*)
	15~55cm/s	
	15~55cm/s	

KIT





Sub-P

Pilar de dissuasão hidráulico




ES Bolardo disuasor hidráulico

EN Retractable hydraulic bollard

FR borne hydraulique rétractable



KIT



Lift



Barreira uso intensivo com haste extensível até 6m


ES Barrera uso intensivo con asta extensible hasta 6m

EN Intensive use road barrier with extendable bar up to 6m

FR Barrière usage intensif avec lisse extensible jusqu'à 6m



KIT



Lift/BL
brushless



www.moveautomation.pt



Acessórios ES Accesorios EN Accessories FR Accessoires



TXMF+



TXMFW




TXMF1 868Mhz



WBM1



WKM0



SDMW



RWM1



FOTOP-W



FLM1



LBMF1



LABM1



FOTOP-SP2



FOTOP-L



FOTOP-M



OESM



ADRM2



ADKM1



ADRM1



ESBM



KSM1



KSM2



BPBM



QRHCM 8m



CEBM



CLBM



DC101



ELBM



ELM1



RMM1



RBM1



ACRV6



C22Z



3300mm | 3600mm | 4200mm



3150mm | 3500mm




3150mm | 3500mm



UWDM



Wi-Remote
www.Wi-Remote.com



MV1DIP-01



BCBM



FCBM



MV3-02



MV1-01 Wi-Fi




MEB01



MV2-01



MEB02




MV1-01






Move Automation
Pq. Emp. de Padreiro, Rua de Paúl, nº411
4970-500 Arcos de Valdevez - Portugal
Tel./Phone: + 351 258 931 334





move[®]

automation



www.moveautomation.pt

